


# SILVER KNIGHT TEMPO












Protect your loved ones with the virucidal and bactericidal surface of Grabo Silver Knight Tempo!



Graboplast's new product Silver Knight Tempo is specially developed to fight pandemics, as it can be primarily used as a temporary hospital floor covering, but it is also recommended for long-term residential use. The bactericidal and virucidal surface of Grabo Silver Knight is now also available in a cost-effective way to chemically support the cleaning and disinfection protocol.

# SILVER KNIGHT TEMPO



Technical parameters	Units	Standards	
 Thickness	mm	EN ISO 24346	1,40
 Wear layer	mm	EN ISO 24340	0,15
 Dimensional stability	max. %	EN ISO 23999	±0,20
 Classification	class	EN ISO 10874	21
 Width of rolls	m	EN ISO 24341	2/4
 Length of rolls	lm	EN ISO 24341	25
 Total weight	kg/m <sup>2</sup>	EN ISO 23997	1,20
 Residual indentation	max. mm	EN ISO 24343	0,35
 Light fastness	grade	EN 20105-B02	6
 Slip resistance	class	EN 13893	DS
 Warranty	year		5



# SILVER KNIGHT TEMPO

## SILVER KNIGHT TEMPO







4121-273

| 2m | 4m |

